

Fig. 1a

acggtcaccgtctctcc**tcaggccctcgagtcggctcgggtcctcatcttgca**gatattccagatgacacag
 T V T V S S A S S G S G S S A D I Q M T Q
 acggtcaccgtctctcc**tcaggccctcgagtcggctcgggtcctcatcttgca**gatattccagatgacacag
 T V T V S S A S S G S G S S A D I Q M T Q
 acggtcaccgtctctcc**tcaggccctcgagtcggctcctcatcttgca**gatattccagatgacacag
 T V T V S S A S S G S S A D I Q M T Q
 acggtcaccgtctctcc**tcaggccctcgagtcctcatcttgca**gatattccagatgacacag
 T V T V S S A S S S S A D I Q M T Q
 acggtcaccgtctctcc**tcaggccctcgagttcttgca**gatattccagatgacacag
 T V T V S S A S S S A D I Q M T Q
 acggtcaccgtctctcc**tcaggccctcgagtcggca**gatattccagatgacacag
 T V T V S S A S S A D I Q M T Q
 acggtcaccgtctctcc**tcaggccctcgccgatattccagatgacacag**
 T V T V S S A S A D I Q M T Q
 acggtcaccgtctctcc**tcaggcccgccgatattccagatgacacag**
 T V T V S S A A D I Q M T Q
 acggtcaccgtctctcc**tcaggccgatattccagatgacacag**
 T V T V S S A D I Q M T Q
 acggtcaccgtctctcc**tcaggccgatattccagatgacacag**
 T V T V S S A D I Q M T Q
 acggtcaccgtctctcc**tcaggccgatattccagatgacacag**
 T V T V S S D I Q M T Q
 acggtcaccgtctctccgatattccagatgacacag
 T V T V S D I Q M T Q

Fig. 1b




Fig. 2






Fig. 3



Size of linker

Fig. 4



Kappa constant region
FOR: 5'-ACCT GGATCC GCTAGGAAGAACTCAAAC-3'
REV: 5'-ACCG TCTAGA CCCTCTAACACTCTCCCGTG-3'

Cy1 constant region
FOR: 5'-AATT GGATCC GAGCCGACAGACTGGAC-3'
REV: 5'-ACCG TCTAGA CGCACTCATTTACCGG-3'

Cμ constant region
FOR: 5'-ATCGGGATCC GATAGCCATGACAGTCTG-3'
REV: 5'-AGC GTC TAG ACA GGG TCA GTA GCA GG-3'

Fig. 5





Fig. 6



10/536834

Fig. 7a




Fig. 7b




Fig. 7c




Fig. 7d




Fig. 7e





Fig. 8

Staining with cIgG-Kar04



Negative control







Fig. 9



mIgM-Karo4



SEQ ID Nr. 95



SEQ ID Nr. 104

Fig. 10

